

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3836	display same (noise near3 reduc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:00
S2	55	(display same (noise near3 reduc\$5)) and "313"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:50
S3	4	("5202605"   "5936257"   "6046542"   "6538391").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 17:04
S4	3	("6107735").URPN.	USPAT	OR	ON	2005/12/19 17:12
S5	45	suzuki-gen.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:18
S6	0	(organic near4 (panel display device )) same ((seal\$4 encapsult\$5) near3 (container housing) near3 (potential voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:20
S7	1	(organic near4 (panel display device )) and ((seal\$4 encapsult\$5) near3 (container housing) near3 (potential voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:24
S8	3	"2002244616"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:26
S9	2082	(seal\$4 encapsulating encapsulation ) near4 (organic near3 (display device element panel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:27
S10	3	((seal\$4 encapsulating encapsulation ) near4 (organic near3 (display device element panel)) ) same ((housing container) near3 metal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:29

S11	6	313/512.ccls. and (housing near4 (metal potential))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:31
S12	47	313/512.ccls. and ((housing cover) near4 (metal potential))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 17:31
S13	4	("5076673"   "5444557"   "5882761"   "6201346").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 17:40
S14	7	("5578903"   "5652067"   "5675212"   "5731661"   "5771562"   "5811177"   "5874804").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 17:42
S15	14	("5266865").URPN.	USPAT	OR	ON	2005/12/19 17:49
S16	33	(organic near3 (display device panel element)) same (cover with (potential voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 15:44
S17	5	("5189405"   "5482896"   "5530269"   "5619045"   "5641974").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/19 18:12
S18	2542	display same ((container housing cover) with (potential voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 18:14
S19	2281	S18 not @ad>"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 18:14
S20	13	((organic EL)near3 display) same (noise near3 reduc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 15:56
S21	13	((organic EL) near3 display) same (noise near3 reduc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:51
S22	2	("5649020"   "6005350").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 13:00

S23	110	((organic adj3 display) (EL adj3 display) (display adj2 device )) same ((hous\$4 container encapsulat\$4 seal\$4) near3 (potential voltage earth\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:09
S24	81	((organic adj3 display) (EL adj3 display) (display adj2 device )) same ((cog (chip adj2 glass)) near4 connect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:12
S25	0	S23 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:12
S26	1	("6624503").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 13:59
S27	10781	display same ((container housing cover) near4 (potential voltage earth\$3 connect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:01
S28	2	(el near3 display) same ((container housing cover) near4 (potential voltage ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:19
S29	1074	((cover housing container) near3 (metal conducting)) and "313"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:20
S30	505	((cover housing container) near3 (metal conducting)) and "315"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:29
S31	150	S29 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:20
S32	5	("4164683"   "4410830"   "5541478"   "5736814"   "5739634").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 14:24
S33	0	((el near2 display) same ((cover housing container) near3 (metal conducting))) and "315"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:32

S34	2	((organic near3 display) same ((anode cathode) adj2 driver)) and "315"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 14:33
S35	8	("4866349"   "4914353"   "4975691"   "5081400"   "5206631"   "5923309"   "6011355"   "6034482").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 15:04
S36	1918	315/169.4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:05
S37	1090	315/169.4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:05
S38	3	315/169.4.ccls. and (housing near4 (potential voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:16
S39	2	"6940502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:16
S40	1	("6624503").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 15:17
S41	3	"09232074"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:37
S42	42	yazawa-naoki.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:37
S43	226	313/512.ccls. and ((housing cover\$3 contain\$3) near4 (metal conductive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 12:31

S44	180	S43 not @ad>"20031210"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 12:32
S45	3	("5686790"   "5874804"   "6566808").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 12:57
S46	15	("20020185965"   "20030127973"   "4540763"   "5185391"   "5757126"   "5869930"   "5998803"   "6010796"   "6023371"   "6046543"   "6080030"   "6127693"   "6133589"   "6573652"   "6680570").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 13:14
S47	8	("1067024"   "3873885"   "4296855"   "4402151"   "4920467"   "5010463"   "5837971").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 13:41
S48	3	("5756147"   "6010742"   "6082867").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 13:51
S49	7	("6160346").URPN.	USPAT	OR	ON	2005/12/21 14:22
S50	575345	(hous\$3 contain\$3 chamber encapsulat\$4 cap) same (ground\$3 potentialvoltage positive negative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:25
S51	319182	(hous\$3 contain\$3 chamber encapsulat\$4 cap) with (ground\$3 potentialvoltage positive negative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:25
S52	392433	(display organic led el electrol\$8) same (container housing chamber air\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:27
S53	30146	S51 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:12
S54	343	S53 and "313"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 14:27

S55	10	("20020030640"   "5760538"   "5912531"   "6184610"   "6225749"   "6274972"   "6278233"   "6366014"   "6409566"   "6873311").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 15:01
S56	3	("6091192").URPN.	USPAT	OR	ON	2005/12/21 15:22
S57	61	(organic near3 (display device panel element)) same ((cover chamber)with (potential voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 15:46
S58	38	(organic near3 (display device panel element)) same ((housing chamber)with (potential voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 15:46
S59	140	((organic EL) near3 display) same ((resistance impedance) near3 reduc\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:10
S60	9	S59 and (housing container)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:10
S61	227	S53 and "315"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:13
S62	7	("4682084"   "4709188"   "5121032"   "5182660"   "5504605"   "5754012"   "5789870").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 16:22
S63	4	("6181071").URPN.	USPAT	OR	ON	2005/12/21 16:29
S64	0	((organic near3 display) (electrolumin\$5 adj display)) same ((housing chamber) near4 (ground\$3 potential voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:31
S65	78	((organic near3 display) (electrolumin\$5 adj display)) and ((housing chamber) near4 (ground\$3 potential voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:31



S66	2	"6107735".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 12:29
S67	1	("5266865").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/23 12:29
S68	14	("5266865").URPN.	USPAT	OR	ON	2005/12/23 12:34
S69	14	("5266865").URPN.	USPAT	OR	ON	2005/12/23 12:58
S70	11	"6160346"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 12:58
S71	7	("5578903"   "5652067"   "5675212"   "5731661"   "5771562"   "5811177"   "5874804").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/23 13:06
S72	183	roy-sikha.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 13:21
S73	1	"69401502".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 13:21
S74	2	"6940502".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 13:21
S75	1	("6624503").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/23 13:21
S76	2	("5500789"   "5639989").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/23 13:23
S77	80	("5639989").URPN.	USPAT	OR	ON	2005/12/23 13:24

